Appendix D Calvin College Respirator Fit Test and Training Record

Name of Employee:				
Department:				
Date of Testing:	Name of Test Conductor:			
Respirator issued for protection from:				
Type(s) of cartridge to be used:				
Respirator Selected				
Manufacturer:	Model:	Size:		
Testing Agent: Sodium Saccharin() Other()				
Fit Checks: () Positive () Negative				
Training				
() Employee was informed of the location of the Calvin College written Respiratory Protection Program.				
Employee has been trained and/or understands the following:				
() The nature of the hazard(s) and potential health effects of the toxic substance(s)				
() The limitations of the respirator issued				
() Consequences of not wearing the respirator				
() Monitoring for exposure: environmental and personal				
Hands-on				
() Inspection	() Proper fitting			
() Practice in wearing and adjusting	ce in wearing and adjusting () Performing job functions			
() Testing the face piece-to-face seal	Testing the face piece-to-face seal () Purpose of medical screening			
() Cleaning and disinfecting respirator) Cleaning and disinfecting respirator () Proper storage procedures			

Inspection					
Defects Found:	Yes	No	Defects Found:	Yes	No
a. Face piece			g. Filter		
b. Inhalation Valve			h. Harness Assembly		
c. Exhalation Valve			i. Speaking Diaphragm		
d. Headbands			j. Gaskets		
e. Cartridge Holder			k. Connections		
f. Cartridge/Canister			1. Other Defects		
Employee conditions which could affect respirator fit:					
Clean Shaven		Mustache			
Facial Scar		Dentures Absent			
Glasses		One-two Day Beard Growth			
Two-plus Day Beard Growth		None			
Comments					
The above mentioned person has: passed the annual qualitative fit-test in accordance with 29 CFR 1910.134 OSHA Respiratory Protection Standard; received the respirator indicated above; inspected the respirator for defects; and has agreed to maintain it/them in good condition and keep in his/her possession at all times.					

Signature of Employee:	Date:
Signature of Test Conductor:	Date: